

**CONTACT US:** 1 Grande rue 54540 MONTIGNY, France Tel: +33 3 83 42 15 79










BM 602	GENERAL INFORMATION		
Rotor widths	2,2 m	2,5 m	3 m
Rotor diameter	600 mm		
Use	Stone crushers		
Teeth	Double carbide tips		
Teeth position on the rotor	Fixed - Helical and V positions		
Working depth	- 200 mm		
Engine power	200 to 400 hp		
Side belt transmission to rotor	2 polychain belts in carbon		
Curtain of chains	Anti-projection triple curtain of chains		
Protection door	Hydraulic with two cylinders (public works)		
Frame	Strengthen – High tensile steel and HARDOX®		
Rollings	Heavy duty roller bearings with double rows of rollers. Mounted in solid-cut steel bearing		
Rotor axis	Bolted shafts		
Skids	HARDOX 450® adjustable soles		
Protections	Anti-wire cut in mass, bolted and interchangeable		
Gearbox	400 hp		
Hitch	3 <sup>rd</sup> and 4 <sup>th</sup> hydraulic points		

## **HOLDERS**





#### **TEETH**



Stone tool Double carb tip

OM4 45 to 60 teeth



Wood tool Double carb tip

OF7 45 to 60 teeth

## **SIDE TEETH**



Side tool Double carb tip

OML4 2 side teeth



Side tool Quadruple carb tip

OFL4 2 side teeth

Our side teeth are the same on the left and right.

#### THE **STRENGHTS** OF OUR MULCHERS



**Saving time:** continuous hydraulic setting of the working depth from the cab thanks to the 3rd hydraulic point.



**Profitability:** high work flow and low cost of wear parts.



**Exceptional mixing quality:** the helical teeth ensures a homogeneous mix, reducing power demand and increasing fertility.



**Heavy-duty design** inspired by Publics Works thanks to the use of high-quality materials.



**Simplicity and reliability of the kinematics** (with few maintenance) allows a profitability gain.



Design in the rules of mechanics





Fuel-efficient due to low drawbar pull




Cost of use per hectare below all competitors

## PLAN AND DIMENSIONS





# WEIGHT AND DIMENSIONS (kg and mm)



Working width (A)	Overall width (B)	Weight
2200 mm	2600 mm	3260 kg
2500 mm	2900 mm	3400 kg

Illustrations and dimensions are for indication only.
PLAISANCE EQUIPEMENTS reserves the right to modify them without notice.
This plan is the property of PLAISANCE EQUIPEMENTS and may not be reproduced or communicated without permission.

All rights reserved







